

病態分子イメージングセンターに係る業績

講 座 等 名	解剖学講座	事業推進者名	北田 容章
<雑誌論文> (著者名・論文標題・雑誌名・レフェリー有無・巻・ページ・発行年)			
※全てレフェリー有り			
<u>Kitada M, Murakami T, Wakao S, Li G, Dezawa M</u> Direct conversion of adult human skin fibroblasts into functional Schwann cells that achieve robust recovery of the severed peripheral nerve in rats. <i>Glia</i> , 67(5):950–966, 2019.			
<u>Tanaka S, Honda Y, Takaku S, Koike T, Oe S, Hirahara Y, Yoshida T, Takizawa N, Takamori Y, Kurokawa K, Kodama T, Yamada H</u> Involvement of PLAGL1/ZAC1 in hypocretin/orexin transcription. <i>Int J Mol Med</i> , 43(5):2164–2176, 2019.			
<u>Umemoto, K, Naito M, Tano K, Terayama H, Koike T, Ohmichi M Ohmichi Y, Sakabe K, Nakano T</u> Acupuncture Point "Hegu" (LI4) Is Close to the Vascular Branch from the Superficial Branch of the Radial Nerve. <i>Evid Based Complement Alternat Med</i> , 2019:Article ID 6879076 1–6, 2019.			
<u>Oe S, Kimura T, Yamada H</u> Regulatory non-coding RNAs in nervous system development and disease. <i>Front Biosci (Landmark Ed)</i> , 24:1203–1240, 2019.			
<u>Takagi S, Furube E, Nakano Y, Morita M, Miyata S</u> Microglia are continuously activated in the circumventricular organs of mouse brain. <i>J Neuroimmunol</i> , 331:74–86, 2019.			
<u>Muneoka S, Murayama S, Nakano Y, Miyata S</u> TLR4 in circumventricular neural stem cells is a negative regulator for thermogenic pathways in the mouse brain. <i>J Neuroimmunol</i> , 331:58–73, 2019.			
<u>Koike T, Tanaka S, Hirahara Y, Oe S, Kurokawa K, Maeda M, Suga M, Kataoka Y, Yamada H</u> Morphological characteristics of p75 neurotrophin receptor-positive cells define a new type of glial cell in the rat dorsal root ganglia. <i>J Comp Neurol</i> , 527(12):2047–2060, 2019.			
<u>Yoshida T, Takizawa N, Matsuda T, Yamada H, Kitada M, Tanaka S</u> GATA4/6 regulate DHH transcription in rat adrenocortical autografts. <i>Sci Rep</i> , 10(1):446, 2020.			
<u>Hayashi S, Tamura K, Yokoyama H</u> Chromatin dynamics underlying the precise regeneration of a vertebrate limb - Epigenetic regulation and cellular memory. <i>Semin Cell Dev Biol</i> , 97:16–25, 2020.			
<u>Hirahara Y, Wakabayashi T, Koike T, Gamo K, Yamada H</u> Change in phospholipid species of retinal layer in traumatic optic neuropathy model. <i>J Neurosci Res</i> , 98(2):325–337, 2020.			
<u>Iwata R, Lee JH, Hayashi M, Dianzani U, Ofune K, Maruyama M, Oe S, Ito T,</u>			

ICOSLG-mediated regulatory T cell expansion and IL-10 production promote progression of glioblastoma.

Neuro-oncology, 22(3):333–344, 2020.

Hashimoto T, Kawata M, Hirahara Y, Nishi M, Satoshi I, Matsuda K
Scaffold attachment factor B: distribution and interaction with ER α in the rat brain.
Histochemistry and Cell Biology, 153(5):323–338, 2020.

Sato T, Wakao S, Kushida Y, Tatsumi K, Kitada M, Abe T, Niizuma K, Tominaga T, Kushimoto S, Dezawa M
A Novel Type of Stem Cells Double-Positive for SSEA-3 and CD45 in Human Peripheral Blood.
Cell Transplant, 29:1–16, 2020.

Murata H, Tanaka S, Tsuzuki-Nakao T, Kido T, Kakita-Kobayashi M, Kida N, Hisamatsu Y, Tsubokura H, Hashimoto Y, Kitada M, Okada H
The transcription factor HAND2 up-regulates transcription of the IL15 gene in human endometrial stromal cells.
J Biol Chem, 295(28):9596–9605, 2020.

Hatta T, Shinagawa K, Kawakami J, Yamamoto N, Kitada M, Itoi E
Downsizing effect of a modular radial head prosthesis on the lateral collateral ligament of the elbow: A cadaveric study.
Clin Biomech, 80:105140, 2020.

Kohara K, Inoue A, Nakano Y, Hirai H, Kobayashi T, Maruyama M, Baba R, Kawashima C.
BATTLE: Genetically Engineered Strategies for Split-Tunable Allocation of Multiple Transgenes in the Nervous System.
iScience, 26;23(6):101248, 2020.

Oe S, Koike T, Hirahara Y, Tanaka S, Hayashi S, Nakano Y, Kase M, Noda Y, Yamada H, Kitada M
AUF1, an mRNA decay factor, has a discordant role in Cpeb1 expression.
Biochemical and Biophysical Research Communications, 534:491–497, 2021.

Mutara H, Tanaka S, Okada H
Immune Tolerance of the Human Decidua.
J Clin Med, 10(2):351, 2021.

Matejović A, Wakao S, Kitada M, Kushida Y, Dezawa M.
Comparison of separation methods for tissue-derived extracellular vesicles in the liver, heart, and skeletal muscle.
FEBS Open Bio, 11(2):482–493, 2021.

Yanagisawa D, Kato T, Taguchi H, Shirai N, Hirao K, Sogabe T, Tomiyama T, Gamo K, Hirahara Y, Kitada M, Tooyama I
Keto form of curcumin derivatives strongly binds to A β oligomers but not fibrils.
Biomaterials, 270:120686, 2021.